



 **NOVELLINI**



BeSafe Wall

The safety device
to return to work
and social life in safety

BeSafe Wall is a protective device

The Novellini Group Presents the new **BeSafe Wall** series, in glass and aluminium, the safety device to return to work and social life in safety.



HYGIENIC

BeSafe Wall can be cleaned with any type of alcoholic disinfectant because it is made of glass.



SAFE

BeSafe Wall is made with 6 mm tempered glass compliant with **UNI EN 12150/1**.



ADAPTABLE

BeSafe Wall is available in different versions and sizes to be adaptable to different working environments.





BeSafe Wall is flexible

BeSafe Wall is a solution for all workplaces where you work close to the public or in general in all environments where people can be less than 1 m away from each other.



Like all Novellini products, **BeSafe Wall** products comply with the regulations in force and in particular:

UNI EN 1023-1

Standard Main dimensions

BeSafe Wall Novellini guarantees coverage above the eyes: the V1 model complies with requirement 2.1 4). UNI EN 1023-1; models V2 and V3 comply with requirement 2.1 2) of the UNI EN 1023-1 standard

UNI EN 1023-2

Standard Mechanical safety requirements.

BeSafe Wall Novellini is built in compliance with the requirements required in order to avoid risks for people. In particular, it complies with the regulatory criteria related to the construction characteristics and the control of the overturning.



BeSafe Wall, where to use it

The glass barriers offer a huge protective advantage to workers who work in sectors in contact with the public (pharmacists, food, banking, postal workers) and are also suitable for all activities in a safe environment such as offices equipped with open spaces, public places such as bars and shops of all kinds.



PHARMACIES



PUBLIC OFFICES



WORK SPACE



COUNTER



RESTAURANT



BeSafe Wall, three versions and five different sizes

It is possible to customize your barrier by choosing the colour of the profiles: silver, white, black or chrome and choosing the size that best suits the needs of the space to be rearranged.



Width (mm)	Total height (mm)	Top-glass distance (mm)	Feet length (mm)	Weight (kg)
800	1988	848	600	18,0
900	1988	848	600	19,5
1000	1988	848	600	21,5
1200	1988	848	600	25,0

Width (mm)	Total height (mm)	Top-glass distance (mm)	Feet length (mm)	Weight (kg)
800	850	123	300	10,0
900	850	123	300	11,0
1000	850	123	300	12,0
1200	850	123	300	14,0
1400	850	123	300	16,0

Width (mm)	Total height (mm)	Top-glass distance (mm)	Feet length (mm)	Weight (kg)
800	750	23	300	10,0
900	750	23	300	11,0
1000	750	23	300	12,0
1200	750	23	300	14,0
1400	750	23	300	16,0



OPTIONAL

**FIXING KIT
for desk counter**

(available only in white or black)
Can be used on barriers up to 1000 mm






BeSafe Wall three glass finishes, four color profiles

TEMPERED GLASS


thickness 6 mm



Transparent



Satin



Niva

PROFILE



White



Silver



Chrome PVD
not available
for floor solution



Black

Are you a reseller or an installer?

Discover now
our commercial offers

Store

<http://store.novellini.com>

For large projects or orders, customized solutions can be evaluated.

We are available to evaluate and
propose BeSafe Wall solutions specific
for your protection needs.

Contact Us

besafe@novellini.it



NOVELLINI

NOVELLINI SPA | Via Mantova, 1023 | 46034 Borgo Virgilio | Loc. Romanore | Mantova | Italy

Tel. +39 0376 64 21 | Fax +39 0376 64 22 50 | info@novellini.com | www.novellini.com


Designed and
manufactured
in **ITALY**



www.novellini.com/facebook



www.novellini.com/instagram



www.novellini.com/YouTube



www.novellini.com/Linkedin