

# STEAM WOOD

 CERDISA



Floor \_ Steam Wood Reddish Brown 20x120 nt rt

**Sizes** | Formati | Formats | Formate | Formatos | Φορματί



26,5x180  
10"x72"



20x120  
8"x48"

**Colors** | Colori | Couleurs | Farben | Colores | Цветов



Pearl White




Blonde Ale




Dove Gray



Ash



Charcoal



Reddish  
Brown



# STEAM WOOD



Floor \_ Steam Wood Ash 26,5x180 nt rt



Floor \_ Steam Wood Blonde Ale 20x120 nt rt



STEAM WOOD



Floor \_ Steam Wood Dove Gray 20x120 nt rt



STEAM WOOD





# STEAM WOOD

A delightful interpretation of steam-treated wood, designed for residential and commercial applications.

Una suggestiva interpretazione del legno trattato a vapore, pensata per la casa e gli spazi commerciali.

Une interprétation suggestive du bois traité à la vapeur, pensée pour la maison et les espaces commerciaux.

Eine stimmungsvolle Interpretation von dampfbehandeltem Holz für Wohn- und Gewerbebereiche.

Una sugerente interpretación de la madera termotratada, diseñada para uso doméstico y espacios comerciales.

Изысканная интерпретация древесины, обработанной паром, для отделки дома и торговых помещений.



Floor \_ Steam Wood Charcoal 20x120 nt rt,  
Gradone cp doppia vela Steam Wood Charcoal 35x120x4x2 nt




Floor \_ Steam Wood Charcoal 20x120 nt rt, Gradone cp doppia vela Steam Wood Charcoal 35x120x4x2 nt



# STEAM WOOD



ASTM C 1028  
nt > 0,60 dry / > 0,60 wet



26,5x180 10"x72"

20x120 8"x48"

**Rectified - rt**  
Rettificato | Rectifié | Rektifiziert  
Rectificado | Ректифицированный

**Colorbody fine porcelain stoneware** | Gres fine porcellanato colorato in massa  
Grès cérame fin coloré dans la masse | Durchgefärbtes Feinsteinzeug  
Gres porcelánico fino coloreado en masa | Гомогенный мелкозернистый Керамогранит

EN 14411-G B1a

**Finishes**  
Superfici | Surfaces | Oberfläche | Superficies | Поверхности



**Natural - nt**  
Naturale | Naturel  
Naturbelassen | Natural  
Натуральная





# STEAM WOOD

## Colors

Colori | Couleurs | Farben | Colores | Цветов



Pearl White



Blonde Ale



Dove Gray



Ash



Charcoal



Reddish Brown

## Sizes | Formati | Formats | Formate | Formatos | Форматы



26,5x180 10"x72"

nt rt



20x120 8"x48"

nt rt

Pearl White	0058002	0058032
Blonde Ale	0058007	0058042
Dove Gray	0058012	0058052
Ash	0058022	0058072
Charcoal	0058027	0058082
Reddish Brown	0058017	0058062

## MOSAICO 3D\*

28,5x28,5 11<sup>7/32</sup>"x11<sup>7/32</sup>" nt | 4 pcs/box



Pearl White  
0058034



Blonde Ale  
0058044



Dove Gray  
0058054



Ash  
0058074



Charcoal  
0058084



Reddish Brown  
0058064

### \* Mesh-mounted

Montato su rete  
Sur trame  
Auf Netz geklebt  
Montado en red  
Собрана на сетке

# STEAM WOOD

## LISTONE 3D

18x120 7<sup>3</sup>/<sub>32</sub>"x48" nt rt | 2 pcs/box



**Pearl White**  
0058035



**Blonde Ale**  
0058045



**Dove Gray**  
0058055



**Ash**  
0058075



**Charcoal**  
0058085




**Reddish Brown**  
0058065

## Special trims


Pezzi speciali | Pièces spéciales | Formteile | Piezas especiales | Специальные изделия



**Battiscopa**  
**7x120**  
2<sup>2</sup>/<sub>4</sub>"x48"  
8 pcs/box



**Gradone cp doppia vela**  
**35x120x4x2**  
13<sup>25</sup>/<sub>32</sub>"x48"x1<sup>2</sup>/<sub>3</sub>"x1<sup>3</sup>/<sub>16</sub>"  
2 cp/4 pcs




**Angolo gradone cp doppia vela**  
**35x120x4x2**  
13<sup>25</sup>/<sub>32</sub>"x48"x1<sup>2</sup>/<sub>3</sub>"x1<sup>3</sup>/<sub>16</sub>"  
1 cp/2 pcs

	nt	nt	nt SX	nt DX
<b>Pearl White</b>	0058036	0058037	0058039	0058038
<b>Blonde Ale</b>	0058046	0058047	0058049	0058048
<b>Dove Gray</b>	0058056	0058057	0058059	0058058
<b>Ash</b>	0058076	0058077	0058079	0058078
<b>Charcoal</b>	0058086	0058087	0058089	0058088
<b>Reddish Brown</b>	0058066	0058067	0058069	0058068

## Packaging

Imballi | Emballages | Verpackungen  
Embalajes | Упаковки



<b>26,5x180</b> 10"x72"	4	1,91	30	57,30	39,11	1173,4
<b>20x120</b> 8"x48"	6	1,44	24	34,56	29,52	708,5

## Suggestion for laying

Consigli per la posa | Conseil pour la pose | Verlegetipps  
Consejos de colocación | Рекомендации по укладке

Given their dimensions, the following are recommended for sizes in this collection:

- laying side by side or 4/5 staggered laying
- a joint of 2 mm

Date le loro caratteristiche dimensionali, per i formati di questa collezione si consiglia:

- una posa affiancata o a correre sfalsata di 4/5
- una fuga di 2 mm

Compte tenu de leurs caractéristiques dimensionnelles, on conseille pour les formats de cette collection :

- une pose droite (à fond perdu) ou décalée (à joints contrariés) de 4/5
- un joint de 2 mm

Angesichts ihrer Größe empfiehlt sich für die Formate dieser Kollektion:

- Verlegung nebeneinander oder gerade fortlaufend und um 4/5 versetzt
- eine 2 mm breite Fuge

Dadas sus dimensiones, para los formatos de esta colección se aconseja:

- una colocación lado a lado o con junta desplazada de 4/5
- una junta de 2 mm

С учетом размерных характеристик для обоих форматов данной коллекции рекомендуется:

- укладка параллельная или со смещением на 4/5
- шов 2 мм

## Grouting color

Colore della fuga | Couleur de joint  
Farbe der Fuge | Color de escape | Цвет шов

<b>Pearl White</b>	Kerakoll 22	Mapei 130
<b>Blonde Ale</b>	Kerakoll 24	Mapei 137
<b>Dove Gray</b>	Kerakoll 36	Mapei 116
<b>Ash</b>	Kerakoll 06	Mapei 110
<b>Charcoal</b>	Kerakoll 11	Mapei 114
<b>Reddish Brown</b>	Kerakoll 31	Mapei 142

For more detailed information on the technical characteristics of the material, contact the Cerdisa Quality Office through the website [www.cerdisa.it](http://www.cerdisa.it). | Per richiedere informazioni più approfondite sulle caratteristiche tecniche del materiale, contattare l'Ufficio Qualità di Cerdisa attraverso il sito internet [www.cerdisa.it](http://www.cerdisa.it). | Pour obtenir des informations plus approfondies sur les caractéristiques techniques du matériau, contacter le Bureau Qualité de Cerdisa à travers le site Internet [www.cerdisa.it](http://www.cerdisa.it). | Um nähere Informationen zu den technischen Merkmalen des Materials zu erhalten, wenden Sie sich bitte über die Website [www.cerdisa.it](http://www.cerdisa.it) an die Qualitätsabteilung von Cerdisa. | Para solicitar información más detallada sobre las características técnicas del material, póngase en contacto con el Departamento de Calidad Cerdisa a través del sitio web [www.cerdisa.it](http://www.cerdisa.it). | Для получения дальнейшей информации по техническим характеристикам материала обращайтесь в Отдел качества компании Cerdisa на веб-сайте [www.cerdisa.it](http://www.cerdisa.it).





**CERDISA**



Via Statale 118, 42013 Sant'Antonino di Casalgrande (RE) Italy  
T +39 0536 992511 / F +39 0536 993757  
[www.ceramichecerdisa.it](http://www.ceramichecerdisa.it)

#Absolute Spaces