


# ACQUADOLCE

TECHNICAL MANUAL

# ACQUADOLCE



ACQUADOLCE DREAM .1 pag. 10

ACQUADOLCE DREAM.2 pag. 13

ACQUADOLCE DREAM .2 pag. 15

ACQUADOLCE pag. 17

## Technical information

### ACQUADOLCE DREAM WITH LIGHTS

ART.	WEIGHT	POWER
<b>L051</b>	17,6 Kg	45 W
<b>L041B+L041A</b>	14,5 Kg + 2 Kg	45 W
<b>L052</b>	17,6 Kg	45 W
<b>L042B+L041A</b>	14,5 Kg + 2 Kg	45 W

### ACQUADOLCE

ART.	WEIGHT
<b>L031B+L002A</b>	10,9 Kg + 1,9 Kg
<b>L011B+L003A</b>	7,0 Kg + 1,9 Kg
<b>L001B+L001A</b>	5,4 Kg + 2,1 Kg

- Flexible connections not included in the package

## Water functions

art. L051 / L041B+L041A / L052 / L042B+L041A / L031B+L002A

- 1st function: 168 anti - limestone nozzles - RAIN
- 2nd function: SHOWERFALL (width 35 cm)
- 3rd functin: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves

art. L011B+L003A / L001B+L001A

- 1st function: 168 anti - limestone nozzles - RAIN
- 2nd function: SHOWERFALL (width 35 cm)

## Light functions

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme to create an emtional atmosphere:
  - Dawn (from dark blue to light blue)
  - Leaves (from light blue to yellow)
  - Sunset (from yellow to red)
  - Night (from red to dark blue)



## Electrical features

- Voltage: 220-240 VAC., 50/60 HZ, Acquadolce Dream power 45W
- IPX5 protection class (protection against water jets)
- Water supplied by means of a 3/4" high flow thermostatic mixer
- Environmental conditions: Humidity: 0 ÷ 100% - Maximum temperature: 50°C

## Functions control board

The control board includes:

- A) BUILT-IN PIECE consisting of:
  - Plastic box
- B) EXTERNAL PIECE consisting of:
  - Glass panel
  - Touch board with backlit function symbols



The handspray on the shower set art. 8091B+8091A automatically switches on when pulled out from its holder and switches off by pushing any of the water controls on the board art. L101B+L101A.

## Certifications

ACQUADOLCE DREAM, FUNCTIONS TOUCH CONTROL BOARD are code approved



### Base materials:

- Stainless Steel AISI 304
- 38 Brilliant Stainless Steel
- 93 Brushed Stainless Steel

## Control board finishing

00 White glass

ACQUADOLCE DREAM

**Multifunction showerhead**

*\_469 x 670 x 98 mm*



**L051  
DREAM WITH LIGHTS**

rain / waterfall / mist /  
white led light / cromotherapy /  
"Feel" colour programme

**Multifunction showerhead**

*\_469 x 670 x 98 mm*



**L052  
DREAM WITH LIGHTS**

rain / waterfall / mist /  
white led light / cromotherapy /  
"Feel" colour programme

**Multifunction showerhead**

*\_470 x 671 mm*



**L041B+L041A  
DREAM WITH LIGHTS**

rain / waterfall / mist /  
white led light / cromotherapy /  
"Feel" colour programme

**Multifunction showerhead**

*\_470 x 671 mm*



**L042B+L041A  
DREAM WITH LIGHTS**

rain / waterfall / mist /  
white led light / cromotherapy /  
"Feel" colour programme

ACQUADOLCE

**Multifunction showerhead**

*\_469 x 670 x 98 mm*



**L031B+L002A**

rain / waterfall / mist

**Multifunction showerhead**

*\_470 x 671 mm*



**L011B+L003A**

rain / mist

**Multifunction showerhead**

*\_421 x 421 mm*



**L001B+L001A**

rain / mist

**Multi-function showerhead Dream**

- Water functions:
- 1st function: 168 anti - limestone nozzles - RAIN
  - 2nd function: SHOWERFALL (width 35 cm)
  - 3rd functin: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
- Light functions:
- white RGB led lights
  - RGB led chromotherapy: red, green, blue and yellow
  - "Feel" colour programme
  - 470 x 671 mm
  - ceiling-mount

**NOTE: L041B+L041A must always be ordered with 8091B+8091A, L101B+L101A**  
**NOTE: conditions necessary for the correct functioning:**  
**Min. Flow Rate: 20 l/min**

**Art. L041B**



**External piece**

Brilliant Stainless Steel 69 38 L041B

**Brushed Stainless Steel 69 93 L041B**

**Art. L041A**





**Built-in piece**

69 00 L041A

**TOTAL PRICE**

Brilliant Stainless Steel

**Brushed Stainless Steel**



**Touch functions control board**

- 3 backlit touch buttons for the light functions: Color, Feel and Light
- 3 backlit touch buttons for the Water functions

**NOTE: L101B+L101A must always be ordered with L051, L052, L041B+L041A, L042B+L041A, 8091B+8091A**

**Art. L101B**



**External piece**


69 00 L101B

**Art. L101A**



**Built-in piece**

69 00 L101A



**TOTAL PRICE**

**Shower set**

- SUN handshower
- automatic on/off
- water plug with showerholder
- 150 cm PVC flexible
- 1/2" inlet

**NOTE: FIT handshower in Stainless Steel finish**

**N.B. 8091B+8091A must always be combined with the IC-board L101B+L101A**

**Art. 8091B****External piece**

Chrome 86 02 8091B

**Brushed Stainless Steel 86 93 8091B**


**Art. 8091A****Built-in piece**

86 00 8091A

**TOTAL PRICE**

Chrome

**Brushed Stainless Steel**

**Art. L051****Multi-function showerhead Dream**


Water functions:

- 1st function: 168 anti - limestone nozzles - RAIN
- 2nd function: SHOWERFALL (width 35 cm)
- 3rd function: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves

Light functions:

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme
- 469 x 670 x 98 mm
- ceiling-mount

**NOTE: L051 must always be ordered with 8091B+8091A and L101B+L101A**  
**NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 20 l/min**




Brilliant Stainless Steel // 69 38 L05193  
 Frame:-Brushed stainless steel

**3/4" built-in thermostatic shower mixer**

- no. 1 1/2" outlet
- handles
- for horizontal installation only
- 3/4" inlets

**Art. G831B**



**External piece**

Chrome 31 02 G831B



**Brushed Stainless Steel 31 93 G831B**

**Art. D331A**



**Built-in piece**

19 00 D331A



**TOTAL PRICE**

Chrome

**Brushed Stainless Steel**

**Multi-function showerhead Dream**

- Water functions:
- 1st function: 168 anti - limestone nozzles - RAIN
  - 2nd function: SHOWERFALL (width 35 cm)
  - 3rd function: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
- Light functions:
- white RGB led lights
  - RGB led chromotherapy: red, green, blue and yellow
  - "Feel" colour programme
  - 470 x 671 mm
  - ceiling-mount

**NOTE: conditions necessary for the correct functioning:  
Min. Flow Rate: 20 l/min**

**NOTE: L042B+L041A must always be ordered with  
L101B+L101A**

**Art. L042B**



**External piece**

Brilliant Stainless Steel 69 38 L042B

**Brushed Stainless Steel 69 93 L042B**

**Art. L041A**





**Built-in piece**

69 00 L041A

**TOTAL PRICE**

Brilliant Stainless Steel

**Brushed Stainless Steel**



**Touch functions control board**

- 3 backlit touch buttons for the light functions: Color, Feel and Light
- 3 backlit touch buttons for the Water functions

**NOTE: L101B+L101A must always be ordered  
with L051, L052, L041B+L041A, L042B+L041A**

**Art. L101B**



**External piece**


69 00 L101B

**Art. L101A**



**Built-in piece**

69 00 L101A



**TOTAL PRICE**




**Art. 8052**

**Shower set**

- SUN handshower
- water plug with showerholder
- 150 cm PVC flexible
- 1/2" inlets



**NOTE: FIT handshower in Stainless Steel finish**



Chrome

86 02 8052


**Brushed Stainless Steel 86 93 8052**

**3/4" built-in thermostatic shower mixer**

- handles
- **2-way** shut-off diverter with turning knob
- for horizontal installation only
- 3/4" inlets

**Art. G872B**


**External piece**



Chrome

31 02 G872B

**Brushed Stainless Steel 31 93 G872B**




**Art. D372A**

**Built-in piece**



19 00 D372A



**TOTAL PRICE**

Chrome


**Brushed Stainless Steel**

**Art. L052**

**Multi-function showerhead Dream**

- Water functions:
- 1st function: 168 anti - limestone nozzles - RAIN
  - 2nd function: SHOWERFALL (width 35 cm)
  - 3rd functin: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
- Light functions:
- white RGB led lights
  - RGB led chromotherapy: red, green, blue and yellow
  - "Feel" colour programme
  - 469 x 670 x 98 mm
  - ceiling-mount

**NOTE: L052 must always be ordered with L101B+L101A**  
**NOTE: conditions necessary for the correct functioning:**  
**Min. Flow Rate: 20 l/min**



Brilliant Stainless Steel // 69 38 L05293  
 Frame-Brushed stainless steel

**Touch functions control board**

- 3 backlit touch buttons for the light functions: Color, Feel and Light
- 3 backlit touch buttons for the Water functions

**NOTE: L101B+L101A must always be ordered with L051, L052, L041B+L041A, L042B+L041A**

**Art. L101B**

**External piece**


69 00 L101B



**Art. L101A**

**Built-in piece**

69 00 L101A



TOTAL PRICE


Art. 8052

**Shower set**

- SUN handshower
- water plug with showerholder
- 150 cm PVC flexible
- 1/2" inlets



**NOTE: FIT handshower in Stainless Steel finish**



Chrome

86 02 8052


**Brushed Stainless Steel 86 93 8052**

**3/4" built-in thermostatic shower mixer**

- handles
- **2-way** shut-off diverter with turning knob
- for horizontal installation only
- 3/4" inlets

Art. G872B


**External piece**



Chrome

31 02 G872B

**Brushed Stainless Steel 31 93 G872B**




Art. D372A

**Built-in piece**



19 00 D372A



**TOTAL PRICE**

Chrome

**Brushed Stainless Steel**

## Multi-function showerhead

- Water functions:
- 1st function: 168 anti - limestone nozzles - RAIN
  - 2nd function: SHOWERFALL (width 35 cm)
  - 3rd function: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
  - 421 x 651,5 mm
  - wall-mount



**NOTE: conditions necessary for the correct functioning:  
Min. Flow Rate: 20 l/min**

**Art. L031B**

### External piece

Brilliant Stainless Steel 69 38 L031B


**Brushed Stainless Steel 69 93 L031B**



**Art. L002A**

### Built-in piece

69 00 L002A



### TOTAL PRICE

Brilliant Stainless Steel

**Brushed Stainless Steel**

## Multi-function showerhead

- Water functions:
- 1st function: 168 anti - limestone nozzles - RAIN
  - 2nd function: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
  - 421 x 651,5 mm
  - wall-mount

**NOTE: conditions necessary for the correct functioning:**


**Min. Flow Rate: 12 l/min**

**Art. L011B**

### External piece

Brilliant Stainless Steel 69 38 L011B


**Brushed Stainless Steel 69 93 L011B**



**Art. L003A**

### Built-in piece

69 00 L003A



### TOTAL PRICE

Brilliant Stainless Steel

**Brushed Stainless Steel**

## Multi-function showerhead

Water functions:

- 1st function: 168 anti - limestone nozzles - RAIN
- 2nd functin: MIST BLOW - 1 anti - limestone nozzle with anti-drop valves
- 421 x 421 mm
- ceiling-mount

**NOTE: conditions necessary for the correct functioning:**


**Min. Flow Rate: 12 l/min**

**Art. L001B**

### External piece

Brilliant Stainless Steel 69 38 L001B


**Brushed Stainless Steel 69 93 L001B**



**Art. L001A**

### Built-in piece

69 00 L001A



### TOTAL PRICE

Brilliant Stainless Steel

**Brushed Stainless Steel**

**Art. 8052**

## Shower set


- SUN handshower
- water plug with showerholder
- 150 cm PVC flexible
- 1/2" inlet

**NOTE: FIT handshower in Stainless Steel finish**



Chrome 86 02 8052


**Brushed Stainless Steel 86 93 8052**



## 3/4" built-in thermostatic shower mixer

- handles
- **3-way** shut-off diverter with turning knob
- for horizontal installation only
- 3/4" inlets


Art. G873B



### External piece

Chrome 31 02 G873B

**Brushed Stainless Steel 31 93 G873B**




Art. D373A



### Built-in piece

19 00 D373A



TOTAL PRICE


Chrome

**Brushed Stainless Steel**

## 3/4" built-in thermostatic shower mixer

- handles
- **2-way** shut-off diverter with turning knob
- for horizontal installation only
- 3/4" inlets


Art. G872B



### External piece

Chrome 31 02 G872B

**Brushed Stainless Steel 31 93 G872B**




Art. D372A



### Built-in piece

19 00 D372A



TOTAL PRICE

Chrome

**Brushed Stainless Steel**



**Fratelli Fantini Spa**

Pella (Novara), Italy - t. +39 0322 918411

[fantini@fantini.it](mailto:fantini@fantini.it) - [www.fantini.it](http://www.fantini.it)